

HIAB T-CLX 013





HIAB T-CLX 013 BASIC DATA


Technical data	CLX CE/CEN 013-1	CLX CE/CEN 013-2	CLX CE/CEN 013-3
Max. lifting capacity (kNm)	11,9	11,7	11,4
Lifting capacity (tm)	1,2	1,2	1,2
Outreach / lifting capacity, hydraulic extension (m/kg)	1.2/995 2.0/590	1.3/920 2.1/540 3.1/360	1.4/840 2.2/500 3.2/330 4.2/250
Outreach / lifting capacity, manual extension (m/kg)	3.1/380 4.2/270	4.2/260	
Outreach, hydraulic extensions (m)	0,8	1,8	2,8
Hydraulic boom extensions (m)	2	3,1	4,2
Outreach, manual extensions (m)	2,2	1,1	
Lifting height above installation level (m)	3,2	4,2	5,2
Manual lifting height above installation level inc. Manual ext.(m)	5,2	5,2	
Recommended oil flow (l/min)	5	5	5
Power needed at rec. oil flow (kW)	1,5	1,5	1,5
Max. working pressure (MPa)	17,5	17,5	17,5
Tank Capacity PTO (l)	18	18	18
Slewing angle (°)	322	322	322
Max. slope viable at full capacity (°)	5	5	5
Slewing torque, gross (kNm)	3	3	3
Slewing speed (°/s)	10	10	10
Height in folded position (mm)	1425	1425	1425
Width in folded position static mounted (mm)	785	785	785
Width in folded position truck mounted (mm) no stab beam/with stab beam and tilting	1826/1926	1826/1926	1826/1926
Installation space needed static mounted (mm)	300	300	300
Installation space needed truck mounted (mm)	426	426	426
Weight, static mounted (kg)	132	162	192
Weight, mounting frame plus 2 short hydr. stabilizer legs (kg)	90	90	90

This table shows a few examples of models, and represents some of all options available. With the opportunity to configure your crane, we can provide you with a crane perfectly tailored to your needs.


Please contact your local dealer for more information on the variety of options we can offer.

HIAB T-CLX 013-1




 Center of gravity


A	B	C	D
810	380	590	190





Capacity plate HIAB T-CLX 013-1




Load diagram HIAB T-CLX 013-1




HIAB T-CLX 013-2




 Center of gravity


A	B	C	D
950	720	660	270





Capacity plate HIAB T-CLX 013-2




Load diagram HIAB T-CLX 013-2




HIAB T-CLX 013-3




 Center of gravity


A	B	C	D
1030	1100	680	320






Capacity plate HIAB T-CLX 013-3



Load diagram HIAB T-CLX 013-3






HIAB T-CLX 013



	E
Fixed	1826
Fixed with tilting device	1886
Extension	1866
Extension with tilting device	1926

HIAB T-CLX 013



STABILIZER WITH TILTING DEVICE
PARKING POSITION

	A	B	C	D
300/300	1195	1195	1225	1225
800/300	1695	1195	1725	1225

BUILT TO PERFORM

Hiab is the world's leading provider of on-road load handling equipment. Customer satisfaction is the first priority for us. Hiab's product range includes HIAB loader cranes, JONSERED recycling and forestry cranes, LOGLIFT forestry cranes, MOFFETT truck mounted forklifts and MULTILIFT demountables, as well as DEL, WALTCO and ZEPRO tail lifts.

hiab.com

Hiab is part of Cargotec.

cargotec.com

Disclaimer. We reserve the right to make changes. Illustrations, drawings and data are not always in accordance with the latest version or standard model in production. The models in the pictures may present special equipment or colours.

TD-TOLX018-EN-EU_150606